INDEX TO VOLUME 82 (1998)

AUTHORS[1]

J. Agric. Univ. P.R. 82(3-4):225-228 (1998)

Acevedo, E.
1998, Oxyfluorfen in 'Estela' and 'Alela' tanier, 82(3-4), 221. (RN)

Acín, N. M.
1998, Oxyfluorfen in 'Estela' and 'Alela' tanier, 82(3-4), 221. (RN)

Alameda, M.
*1998, *Burkholderia cepacia* causal agent of bacterial blotch of oyster mushroom, 82(1-2), 109. (RN)
1998, Incidence of anthracnose in long-day pigeonpea trials, 82(3-4), 209. (RN)

Arias-Pedraza, A.
*1998, Agronomic potential of stylo [*Stylosanthes guianensis* (Aubl.) SW.] in Puerto Rico, 82(1-2), 1.

Bejarano-Mendoza, C. A.
*1998, *Sclerotium rolfsii* como componente del complejo patológico causante del mal seco de la yautía (*Xanthosoma sagittifolium*) en Puerto Rico, 82(1-2), 85.

Bosques, A.
1998, *Sclerotium rolfsii* como componente del complejo patológico causante del mal seco de la yautía (*Xanthosoma sagittifolium*) en Puerto Rico, 82(1-2), 85.

Bosques-Vega, A.
1998, Reaction of new long-day pigeonpea genotypes to rust (*Uredo cajani*), 82(3-4), 201.

Brunner, B.
/1998, Papaya performance unaffected by lateral shoot pruning, 82(1-2), 63.

Cabrera-Asencio, I.
/1998, *Dolichothrips indicus* (Hood) (Thysanoptera: Phlaeothripidae): Un nuevo reporte para pimiento y berenjena en Puerto Rico, 82(1-2), 111. (RN)
/1998, Dinámica poblacional de *Thrips palmi* (K.) en berenjena y pimiento, 82(3-4), 217. (RN)

Duque, M. C.
1998, Desarrollo de *Schizotetranychus oryzae* (Rossi de Simons) sobre arroz, 82(3-4), 183.
1998, Comportamiento de *Schizotetranychus oryzae* sobre nueve variedades de arroz, 82(3-4), 213. (RN)

Echávez-Badel, R.
*1998, Reaction of new long-day pigeonpea genotypes to rust (*Uredo cajani*), 82(3-4), 201.
*1998, Incidence of anthracnose on long-day pigeonpea trials, 82(3-4), 209. (RN)

Escalona, L. E.
1998, Desarrollo de *Schizotetranychus oryzae* (Rossi de Simons) sobre arroz, 82(3-4), 183.

* Senior author
/ Sole author
RN Research note

[1]An author's name may appear in more than one form. Although all first names are abbreviated, an author may appear with one or two initials. Last names may appear single or compound. When compound, they are hyphenated regardless of how they appear in the original. Alphabetically, names with a single initial precede two-initial ones (Y. Badillo precedes Y. A. Badillo); single names precede hyphenated ones (Abreu, Z. precedes Abreu-Abadía, A.). Articles under one name are organized chronologically (those in volume I precede those in volume II; those in number 1 precede those in number 2 and those on page 1 precede those on page 2).

1998, Comportamiento de *Schizotetranychus oryzae* sobre nueve variedades de arroz, 82(3-4), 213. (RN)

Goenaga, R.
1998, Yield potential and fruit traits of the French-type 'Dwarf Superplátano' clone evaluated at three locations, 82(3-4), 173.

González A.
1998, Response of cabbage in the mountainous and coastal areas of Puerto Rico, 82(1-2), 113. (RN)

Irizarry, H.
*1998, Early yield of five cacao families at three locations in Puerto Rico, 82(3-4), 163.
*1998, Yield potential and fruit traits of the French-type 'Dwarf Superplátano' clone evaluated at three locations, 82(3-4), 173.

Krikorian, A. D.
1998, Yield potential and fruit traits of the French-type 'Dwarf Superplátano' clone evaluated at three locations, 82(3-4), 173.

Latorre, J. R.
1998, Niveles dietéticos de energía metabolizable y proteína bruta para pollos 'Cornish', 82(1-2), 51.

Liu, L. C.
1998, Low paraquat inhalation exposure for applicators spraying properly with knapsacks, 82(1-2), 97.
1998, Oxyfluorfen in 'Estela' and 'Alela' tanier, 82(3-4), 221. (RN)

Liu, L. J.
1998, *Sclerotium rolfsii* como componente del complejo patológico causante del mal seco de la yautía (*Xanthosoma sagittifolium*) en Puerto Rico, 82(1-2), 85.

Logan, T. J.
1998, Evaluation of proton and europium (III) binding reactions in a sewage sludge humic acid, 82(3-4), 121.

Lugo, M. de L.
*1998, Oxyfluorfen in 'Estela' and 'Alela' tanier, 82(3-4), 221. (RN)

Martínez, G. A.
*1998, Evaluation of proton and europium (III) binding reactions in a sewage sludge humic acid, 82(3-4), 121.

McDowell, L. R.
1998, Fertilizer rates and yield and quality of grass hays in southern Puerto Rico, 82(1-2), 17.

Mejía, O. I.
*1998, Desarrollo de *Schizotetranychus oryzae* (Rossi de Simons) sobre arroz, 82(3-4), 183.
1998, Comportamiento de *Schizotetranychus oryzae* sobre nueve variedades de arroz, 82(3-4), 213. (RN)

Messa, N. C.
1998, Desarrollo de *Schizotetranychus oryzae* (Rossi de Simons) sobre arroz, 82(3-4), 183.
1998, Comportamiento de *Schizotetranychus oryzae* sobre nueve variedades de arroz, 82(3-4), 213. (RN)

Mignucci, J. S.
1998, *Burkholderia cepacia* causal agent of bacterial blotch of oyster mushroom, 82(1-2), 109. (RN)

Rivera-Nieves, A. M.
*1998, New records of the Myxomycetes from Mona Island, Puerto Rico, 82(3-4), 189.

Ortiz, C. E.
*1998, Response of cabbage in the mountainous and coastal areas of Puerto Rico, 82(1-2), 113. (RN)

Pantoja, A.
1998, Desarrollo de *Schizotetranychus oryzae* (Rossi de Simons) sobre arroz, 82(3-4), 183.
*1998, Comportamiento de *Schizotetranychus oryzae* sobre nueve variedades de arroz, 82(3-4), 213. (RN)

Quiles-Belén, A.
1998, Agronomic potential of stylo [*Stylosanthes guianensis* (Aubl.) SW.] in Puerto Rico, 82(1-2), 1.
1998, Agronomic comparison of four *Panicum* hybrids and two cultivars at three cutting intervals in Puerto Rico, 82(3-4), 141.
1998, Response of forage sorghums Millo Blanco and Greenleaf sudangrass and their hybrids to planting dates, 82(3-4), 151.

Ramírez, L. M.
1998, Desarrollo de *Schizotetranychus oryzae* (Rossi de Simons) sobre arroz, 82(3-4), 183.
1998, Comportamiento de *Schizotetranychus oryzae* sobre nueve variedades de arroz, 82(3-4), 213. (RN)

Ramos-Santana, R.
*1998, Fertilizer rates and yield and quality of grass hays in southern Puerto Rico, 82(1-2), 17.
*1998, Stem propagation of two guinea grass cultivars at six maturity stages and two cutting heights, 82(1-2), 117. (RN)

Randel, P. R.
1998, Inclusión de leguminosas forrajeras en dietas basadas en gramíneas tropicales I. Composición química y degradación in vitro, 82(1-2), 25.
1998, Inclusión de leguminosas forrajeras en dietas basadas en gramíneas tropicales II. Consumo voluntario y digestibilidad aparente de nutrimentos, 82(1-2), 39.
1998, Niveles dietéticos de energía metabolizable y proteína bruta para pollos 'Cornish', 82(1-2), 51.

Riquelme, E. O.
1998, Inclusión de leguminosas forrajeras en dietas basadas en gramíneas tropicales I. Composición química y degradación in vitro, 82(1-2), 25.
1998, Inclusión de leguminosas forrajeras en dietas basadas en gramíneas tropicales II. Consumo voluntario y digestibilidad aparente de nutrimentos, 82(1-2), 39.
1998, Niveles dietéticos de energía metabolizable y proteína bruta para pollos 'Cornish', 82(1-2), 51.

Rivera, E.
1998, Early yield of five cacao families at three locations in Puerto Rico, 82(3-4), 163.

Rivera, L. E.
1998, Response of cabbage in the mountainous and coastal areas of Puerto Rico, 82(1-2), 113. (RN)

Rivera-Amador, E.
1998, *Sclerotium rolfsii* como componente del complejo patológico causante del mal seco de la yautía (*Xanthosoma sagittifolium*) en Puerto Rico, 82(1-2), 85.

Rodríguez, A. A.
*1998, Inclusión de leguminosas forrajeras en dietas basadas en gramíneas tropicales I. Composición química y degradación in vitro, 82(1-2), 25.
*1998, Inclusión de leguminosas forrajeras en dietas basadas en gramíneas tropicales II. Consumo voluntario y digestibilidad aparente de nutrimentos, 82(1-2), 39.

Rodríguez, J. E.
1998, Stem propagation of two guinea grass cultivars at six maturity stages and two cutting heights, 82(1-2), 117. (RN)

Salas, F. A.
*1998, Niveles dietéticos de energía metabolizable y proteína bruta para pollos 'Cornish', 82(1-2), 51.

Santiago-Blay, J.
1998, Chromosome numbers in 71 Puerto Rican species of leaf beetles (Coleoptera: Chrysomelidae), 82(1-2), 69.

Santos-Flores, C. J.
1998, New records of the Myxomycetes from Mona Island, Puerto Rico, 82(3-4), 189.

Singmaster III, J. A.
*1998, Low paraquat inhalation exposure for applicators spraying properly with knapsacks, 82(1-2), 97.

Sotomayor-Ríos, A.
1998, Agronomic potential of stylo [*Stylosanthes guianensis* (Aubl.) SW.] in Puerto Rico, 82(1-2), 1.
*1998, Agronomic comparison of four *Panicum* hybrids and two cultivars at three cutting intervals in Puerto Rico, 82(3-4), 141.
*1998, Response of forage sorghums Millo Blanco and Greenleaf sudangrass and their hybrids to planting dates, 82(3-4), 151.

Torres-Cardona, S.
1998, Agronomic comparison of four *Panicum* hybrids and two cultivars at three cutting intervals in Puerto Rico, 82(3-4), 141.
1998, Response of forage sorghums Millo Blanco and Greenleaf sudangrass and their hybrids to planting dates, 82(3-4), 151.

Traina, S. J.
1998, Evaluation of proton and europium (III) binding reactions in a sewage sludge humic acid, 82(3-4), 121.

Vélez-Colón, R.
1998, Response of cabbage in the mountainous and coastal areas of Puerto Rico, 82(1 -2), 113. (RN)

Virkki, N.
*1998, Chromosome numbers in 71 Puerto Rican species of leaf beetles (Coleoptera: Chrysomelidae), 82(1-2), 69.

Zapata, M.
1998, *Sclerotium rolfsii* como componente del complejo patológico causante del mal seco de la yautía (*Xanthosoma sagittifolium*) en Puerto Rico, 82(1-2), 85.

INDEX TO VOLUME 82 (1998)

SUBJECTS

J. Agric. Univ. 82(3-4):229-231 (1998)

Acarus (See *Schizotetranychus oryzae*)
Anthracnose
  In pigeonpea long-day trials, 82 (3-4), 209.
Beetle, leaf (See Leaf beetle)
Bermuda grass
  Fertilizer rates, yield and quality of grass hays, 82(1-2), 17.
Brassica oleracea (See Cabbage)
Burkholderia cepacia
  Cause of bacterial blotch of oyster mushroom, 82(1-2), 109.
Butterfly pea
  Chemical composition and in vitro digestibility, in diets based on tropical grasses, 82(1-2), 25. (Spanish)
Cabbage
  Response in the mountainous and coastal areas of Puerto Rico, 82(1-2), 113.
Cacao
  Early yield of five families, 82(3-4), 163.
Cajanus cajan (See Pigeonpea)
Capsicum annuum (See Pepper)
Carica papaya (See Papaya)
Centrosema pubescens (See Butterfly pea)
Ceratiomyxa fruticulosa (See Myxomycetes)
Coleoptera: Chrysomelidae
  Chromosome numbers in 71 Puerto Rican species of leaf bettles, 82(1-2), 69.
Colletotrichum gloesporioides (See Anthracnose)
Cribaria intricata (See Myxomycetes)
Cynodon dactylon (See Bermuda grass)
Cynodon nlenfuensis (See Star grass)
Dictydium cancellatum (See Myxomycetes)
Digitaria decumbens (See Pangola grass)
Digitaria eriantha
  Fertilizer rates, yield and quality of grass hays, 82(1-2), 17.
Dolichothrips indicus
  New report in pepper and eggplant, 82(1-2), 111. (Spanish)
Dry root rot
  Sclerotium rolfsii as a component in the pathological complex causing, 82(1-2), 85. (Spanish)
Eggplant
  Dolichothrips indicus (Hood), new report in, 82(1-2), 111. (Spanish)
  Population dynamics of *Thrips palmi* in, 82(3-4), 217. (Spanish)
Elephant grass
  Chemical composition and in vitro digestibility, in diets with leguminous forages, 82(1-2), 25. (Spanish)
Forages
  Chemical composition and in vitro digestibility, 82(1-2), 25. (Spanish)
  Dry matter intake and nutrient digestibility, 82(1-2), 39. (Spanish)
  Agronomic potential of stylo, 82(1-2), 1.
  Stem propagation of guinea grass, 82(1-2), 117.
Fuligo septica (See Myxomycetes)
Guinea grass
  Chemical composition and in vitro digestibility, in diets with leguminous forages, 82(1-2), 25. (Spanish)
  Stem propagation at six maturity stages and two cutting heights, 82(1-2), 117.
Hay, grass
  Fertilizer rates, yield and quality in southern Puerto Rico, 82(1-2), 17.
Hens, Cornish
  Diets, energy: protein ratio, 82(1-2), 51. (Spanish)
Herbicide
  Oxyfluorfen in tanier, 82(3-4), 221.
Leaf beetle
  Chromosome numbers in 71 Puerto Rican species, 82(1-2), 69.

Leucaena leucocephala
Chemical composition and in vitro digestibility, in diets based on tropical grasses, 82(1-2), 25. (Spanish)
Dry matter intake and nutrient digestibility, 82(1-2), 39. (Spanish)
Lycogala sp (See Myxomycetes)
Musa (See Plantain)
Mushroom, oyster
Bacterial blotch caused by *Burkholderia cepacia*, 82(1-2), 109.
Myxomycetes
New records from Mona Island, 82(3-4), 189.
Neonotonia wightii
Chemical composition and in vitro digestibility, in diets based on tropical grasses, 82(1-2), 25. (Spanish)
Oryza sativa (See Rice)
Oxyfluorfen
Efficacy and phytotoxicity in tanier, 82(3-4), 221.
Pangola grass
Fertilizer rates, yield and quality of grass hays, 82(1-2), 17.
Panicum
Agronomic comparison of four hybrids and two cultivars at three cutting intervals, 82(3-4), 141.
Panicum maximum (See Guinea grass)
Papaya
Performance, unaffected by lateral shoot pruning, 82(1-2), 63.
Paraquat
Low inhalation exposure when sprayed properly with knapsacks, 82(1-2), 97.
Pennisetum purpureum (See Elephant grass)
Pepper
Dolichthrips indicus (Hood), new report in, 82(1-2), 111. (Spanish)
Population dynamics of *Thrips palmi* in, 82(3-4), 217. (Spanish)
Pigeonpea
Reaction of new long-day genotypes to rust, 82(3-4), 201.
Incidence of anthracnose in, 82(3-4), 209.
Plantain, dwarf superplátano
Yield potential and fruit traits, at three locations, 82(3-4), 173.
Rice
Development of *Schizotetranychus oryzae* in, 82(3-4), 183. (Spanish)
Behavior of *Schizotetranychus oryzae* in nine varieties, 82(3-4), 213. (Spanish)
Rust
Reaction of new long-day pigeonpea genotypes to, 82(3-4), 201.
Schizotetranychus oryzae
Behavior in nine rice varieties, 82(3-4), 213. (Spanish)
Development in rice, 82(3-4), 183. (Spanish)
Sclerotium rolfsii
Component in the pathological complex that causes dry root rot in tanier, 82(1-2), 85. (Spanish)
Sewage sludge
Humic acid, evaluation of proton and europium (III) binding reactions in, 82(3-4), 121.
Solanum melongena (See Eggplant)
Sorghum
Chemical composition and in vitro digestibility, in diets with leguminous forages, 82(1-2), 25. (Spanish)
Response of forage sorghums Millo Blanco and Greenleaf sudangrass and their hybrids to planting dates, 82(3-4), 151.
Sorghum bicolor (See Sorghum)
Sorghum sudanense (See Sorghum)
Star grass
Chemical composition and in vitro digestibility, in diets with leguminous forages, 82(1-2), 25. (Spanish)
Stemonitis axifera (See Myxomycetes)
Stylo
Agronomic potential in Puerto Rico, 82(1-2), 1.
Chemical composition and in vitro digestibility, 82(1-2), 25. (Spanish)
Dry matter intake and nutrient digestibility, 82(1-2), 39. (Spanish)
Tanier
Oxyfluorfen in, 82(3-4), 221.
Sclerotium rolfsii as a component in the pathological complex causing dry root rot, 82(1-2), 85. (Spanish)
Theobroma cacao (See Cacao)

Thrips palmi
In eggplant and pepper, 82(3-4), 217. (Spanish)
Thysanoptera: Phlaeothripidae
Dolichothrips indicus, new report in pepper and eggplant, 82(1-2), 111. (Spanish)
Tubifera ferruginosa (See Myxomycetes)
Uredo cajani (See Rust)
Weed, control
Oxyfluorfen in tanier, 82(3-4), 221.
Xanthosoma sagittifolium (See Tanier)